



Our **vision** is your **happiness!**

PRODUCT CATALOG

SERIES

Gold

Platinum

Silver

www.baufens.ba



Baufens
Fenster & Türen



PROIZVODNI POGON FACTORY



OD 2005

Kompanija Yavuz doo osnovana je u Srebreniku kao jedan od prvih proizvođača PVC stolarije u Tuzlanskom kantonu.

Cilj nam je profilirati se kao vodeći proizvođač kvalitetne i inovativne PVC stolarije te našim klijentima dati uvijek više od očekivanog. To postizemo uvođenjem novih proizvoda u asortiman, prateći trendove u gradnji, certificiranjem proizvoda u ovlaštenim laboratorijima, stalnom edukacijom zaposlenika i odabirom dobavljača koje pokreću iste vrijednosti. U poslu nas vode stručnost, kompetencija i stalna želja za boljim i naprednijim rješenjima za naše klijente.

Kompanija zapošljava oko 400 radnika. Ukupna površina proizvodnog pogona je 52 000 kvadratnih metara.

Yavuz Company je prvi i jedini proizvođač PVC profila za stolariju u Bosni i Hercegovini. U fabrici u Brčkom se proizvodi domaći bosansko-hercegovački brend PVC profila pod nazivima BAUWIN (petokomorni sistem PVC stolarije) i BAUFENS (sedmocomorni sistem PVC stolarije).

SINCE 2005

The company Yavuz doo was founded in Srebrenik as one of the first manufacturers of PVC joinery in Tuzla Canton.

Our goal is to profile ourselves as a leading manufacturer of quality and innovative PVC joinery and always give our customers more than expected. We achieve this by introducing new products into the range, following construction trends, certifying products in authorized laboratories, constantly educating employees and selecting suppliers who drive the same values. We are guided in our work by expertise, competence and a constant desire for better and more advanced solutions for our clients.

The company has about 400 employees. The total area of the production plant is 52,000 square meters.

Yavuz Company is the first and only manufacturer of PVC profiles for carpentry in Bosnia and Herzegovina. The factory in Brcko produces a domestic Bosnian Herzegovinian brand of PVC profiles under the names BAUWIN (five-chamber system of PVC joinery) and BAUFENS (seven chamber system of PVC

Certifikati Certifications

ift-Nachweis		ift ROSENHEIM	
Nummer:	18-001154-PR04 (mit K20-06-en-02)	Standort:	
Hersteller:	YAVUZ COMPANY d.o.o. Četaje bb 75350 Srebrenik Bosna i Hercegovina	Produkt:	Kunststoffprofil, Profilkombination: Flügelrahmen - Ständerahmen
Produkt:	PVC profile BAUFENS 5 chambers	Bestimmung:	System: PVC profile BAUFENS 5 chambers
Material:	Material: Polypropylen-hart (PP-H) - Normenwert: 118 mm; Flügelrahmen: 70 mm; Ständerahmen: BW 7001 - 5 chambers; Glasscheibe: 6 + 16 + 78 mm x 70 mm; Isolierglas: 24 mm; Isolierglas: 20 mm; Isolierglas: -Stahl - verzinkt Stahl; Isolierglas: BW7001-0; Ständerahmen: 65 mm x 70 mm; Isolierglas: -Stahl - verzinkt Stahl; Isolierglas: BW7001-0	Zeichnung:	
Wärmedurchgangskoeffizient nach EN 12412-2:2003-07		Wärmedurchgangskoeffizient nach EN 12412-2:2003-07	
$U_f = 1,1 \text{ W/(m}^2\text{K)}$		$U_f = 1,1 \text{ W/(m}^2\text{K)}$	
ift Rosenheim 23.11.2018		ift Rosenheim 23.11.2018	
Manuel Dornel, M.Sc. Dipl.-Ing. (FH) Bauphysik		Manuel Dornel, M.Sc. Dipl.-Ing. (FH) Bauphysik	

ift-Nachweis		ift ROSENHEIM	
Nummer:	18-001154-PR01 (mit K20-06-en-01)	Standort:	
Hersteller:	YAVUZ COMPANY d.o.o. Četaje bb 75350 Srebrenik Bosna i Hercegovina	Produkt:	Plastic profile, profile combination: casement member - frame member
Produkt:	PVC profile BAUFENS 7 chambers	Bestimmung:	System: PVC profile BAUFENS 7 chambers
Material:	Material: Polypropylen-hart (PP-H) - Normenwert: 128 mm; Flügelrahmen: 70 mm; Ständerahmen: BW 7001 - 5 chambers; Glasscheibe: 6 + 16 + 78 mm x 70 mm; Isolierglas: 24 mm; Isolierglas: 20 mm; Isolierglas: -Stahl - verzinkt Stahl; Isolierglas: BW7001-0; Ständerahmen: 65 mm x 70 mm; Isolierglas: -Stahl - verzinkt Stahl; Isolierglas: BW7001-0	Zeichnung:	
Wärmedurchgangskoeffizient nach EN 12412-2:2003-07		Wärmedurchgangskoeffizient nach EN 12412-2:2003-07	
$U_f = 1,1 \text{ W/(m}^2\text{K)}$		$U_f = 1,1 \text{ W/(m}^2\text{K)}$	
ift Rosenheim 23.11.2018		ift Rosenheim 23.11.2018	
Manuel Dornel, M.Sc. Dipl.-Ing. (FH) Bauphysik		Manuel Dornel, M.Sc. Dipl.-Ing. (FH) Bauphysik	

KVALITETA INSPEKT		kvaliteta inspekt d.o.o.	
IZVJEŠTAJ O PRORAČUNU KOEFICIJENTA PROLASKA TOPLINE (U VRIJEDNOST)		Broj izvještaja: 128-00-19	
Datum izdavanja izvještaja: 06.12.2019.		Datum izdavanja izvještaja: 06.12.2019.	
OPĆI PODACI:		OPĆI PODACI:	
Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.		Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.	
Naziv proizvoda / tip: Jednokrilni prozor 02		Naziv proizvoda / tip: Jednokrilni prozor 02	
Proizvođač: YAVUZ COMPANY d.o.o.		Proizvođač: YAVUZ COMPANY d.o.o.	
REZULTAT:		REZULTAT:	
HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)		HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)	
2,1 [W/m²K]		2,1 [W/m²K]	

KVALITETA INSPEKT		kvaliteta inspekt d.o.o.	
IZVJEŠTAJ O PRORAČUNU KOEFICIJENTA PROLASKA TOPLINE (U VRIJEDNOST)		Broj izvještaja: 129-00-19	
Datum izdavanja izvještaja: 06.12.2019.		Datum izdavanja izvještaja: 06.12.2019.	
OPĆI PODACI:		OPĆI PODACI:	
Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.		Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.	
Naziv proizvoda / tip: Jednokrilni prozor 02		Naziv proizvoda / tip: Jednokrilni prozor 02	
Proizvođač: YAVUZ COMPANY d.o.o.		Proizvođač: YAVUZ COMPANY d.o.o.	
REZULTAT:		REZULTAT:	
HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)		HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)	
1,2 [W/m²K]		1,2 [W/m²K]	

KVALITETA INSPEKT		kvaliteta inspekt d.o.o.	
IZVJEŠTAJ O PRORAČUNU KOEFICIJENTA PROLASKA TOPLINE (U VRIJEDNOST)		Broj izvještaja: 130-00-19	
Datum izdavanja izvještaja: 06.12.2019.		Datum izdavanja izvještaja: 06.12.2019.	
OPĆI PODACI:		OPĆI PODACI:	
Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.		Podizvojni zahtjev: KVALITETA INSPEKT d.o.o.	
Naziv proizvoda / tip: Jednokrilni prozor 02		Naziv proizvoda / tip: Jednokrilni prozor 02	
Proizvođač: YAVUZ COMPANY d.o.o.		Proizvođač: YAVUZ COMPANY d.o.o.	
REZULTAT:		REZULTAT:	
HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)		HRN EN ISO 10077-1:2017 Toplotna svojstva prozora, vrata i ostakla - Proračun koeficijenta prolaska topline - 1. dio: Općenito (ISO 10077-1:2017, EN ISO 10077-1:2017)	
0,9 [W/m²K]		0,9 [W/m²K]	

Izvozimo u: Exporting to:



Hrvatska / Croatia			Alžir / Algeria
Srbija / Serbia			Nigerija / Nigeria
Crna Gora / Montenegro			Turska / Turkey
Makedonija / Macedonia			Rumunija / Romania
Njemačka / Germany			Tajland / Thailand
Katar / Qatar			Kosovo / Kosovo
Slovenija / Slovenia			Mađarska / Hungary



8500 SERIES

PLATINUM

7 CHAMBER SYSTEM

7 KOMORNI SISTEM

BOSANSKI

Naš novi sistem A klase 2.8-3mm BAUFENS 8500 ispunjava zahtjeve svih klijenata koji traže moderan i elegantan dizajn, praktičnost te funkcionalnost koja će im omogućiti najviši nivo udobnosti življenja.

7 Sedmocomorna tehnologija dizajnirana za optimalnu toplinsku i zvučnu izolaciju.

3 Tri nivoa dihtovanja, osiguravaju dobru nepropusnost kod pljuskova, optimalnu zaštitu na udar vjetra i superiornu zvučnu izolaciju.

/// Dostupno sa duplim staklom od 24mm, troslojnim staklom od 36mm i trostrukom 44mm PVC lajsnom.


ENGLISH

Our new 2.8-3 mm A-Class BAUFENS 8500 system meets the requirements of all clients looking for a modern and elegant design, practicality and functionality that will enable them the highest level of comfort of life.

7 Seven-chamber technology designed for optimum thermal and sound insulation.

3 Three levels of breathing, ensure good windproofness, optimal wind protection and superior sound insulation.

/// Available with double glass of 24mm, three-layer 36mm glass and triple 44mm glazing bead.



BOJE:
COLORS:

Mahagonij
Mahogany

Bijela
White


Zlatni hrast
Golden oak

Antracit
Anthracite

*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.

Baufens
Fenster & Türen


WWW.BAUFENS.BA



BF 8501

PVC PROFIL ŠTOKA


FRAME PROFILE



BF 8501-0

ŽELJEZNO OJAČANJE


STEEL REINFORCEMENT



BF 8502

PVC PROFIL KRILO PROZORA


SASH PROFILE



BF 8502-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8503



PVC PROFIL KRILO VRATA

IN TURN DOOR SASH PROFILE

BF 8503-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8504


PVC PROFIL KRILO VRATA


DOOR SASH PROFILE

BF 8504-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT





BF 8505



PVC PROFIL T PREČKA

MULLION PROFILE

BF 8505-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8506


PVC PROFIL ŠTULP

FALSE MULLION PROFILE

BF 8506-0

ŽELJEZNO OJAČANJE



STEEL REINFORCEMENT



BF 8507

PVC PROFIL PROŠIRENJE


PVC PROFILE EXTENSION



BF 8507-0

ŽELJEZNO OJAČANJE


STEEL REINFORCEMENT



BF 8509 24mm

PVC LAJSNA


DOUBLE GLAZING BEAD



BF 8508 36mm

PVC LAJSNA

DOUBLE GLAZING BEAD



BF 8510 44mm


PVC LAJSNA

TRIPLE GLAZING BEAD

BF 8520

PVC PROFIL PROŠIRENJE 85x100

PVC PROFILE EXTENSION 85x100





8500 SERIES

GOLD

7 CHAMBER SYSTEM

7 KOMORNI SISTEM

BOSANSKI

Naša nova gold serija profila, može biti pravljena i u opcijama od 2.6mm za štok, krilo prozora i krilo vrata. BAUFENS 8500 ispunjava zahtjeve svih klijenata koji traže moderan i elegantan dizajn, praktičnost te funkcionalnost koja će im omogućiti najviši nivo udobnosti življenja.

7 Sedmocomorna tehnologija dizajnirana za optimalnu toplinsku i zvučnu izolaciju.

3 Tri nivoa dihtovanja, osiguravaju dobru nepropusnost kod pljuskova, optimalnu zaštitu na udar vjetra i superiornu zvučnu izolaciju.

/// Dostupno sa duplim staklom od 24mm, troslojnim staklom od 36mm i trostrukom 44mm PVC lajsnom.


ENGLISH

Our new gold series which can be made by options to 2.6mm for frame, sash and door sash profile. BAUFENS 8500 system meets the requirements of all clients looking for a modern and elegant design, practicality and functionality that will enable them the highest level of comfort of life.

7 Seven-chamber technology designed for optimum thermal and sound insulation.

3 Three levels of breathing, ensure good windproofness, optimal wind protection and superior sound insulation.

/// Available with double glass of 24mm, three-layer 36mm glass and triple 44mm glazing bead.



BOJE:
COLORS:


Mahagonij
Mahogany

Bijela
White

Zlatni hrast
Golden oak

Antracit
Anthracite

*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.



BF 8511



PVC PROFIL ŠTOKA

FRAME PROFILE

BF 8511-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8512


PVC PROFIL KRILO PROZORA

PVC WINDOW SASH PROFILE

BF 8512-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8513



PVC PROFIL KRILO VRATA

PVC DOOR SASH PROFILE

BF 8513-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8504



PVC PROFIL KRILO VRATA


PVC DOOR SASH PROFILE

BF 8514-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT






BF 8505

PVC PROFIL 'T' PREČKA


PVC PROFILE 'T' BAR



BF 8515-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8516



PVC PROFIL ŠTULP


PVC PROFILE MULLION

BF 8516-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT






BF 8507

PVC PROFIL PROŠIRENJE


PVC PROFILE EXTENSION



BF 8507-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8509 24mm



PVC LAJSNA

DOUBLE GLAZING BEAD

BF 8520

PVC PROFIL PROŠIRENJE 85x100


PVC PROFILE EXTENSION 85x100



BF 8508 36mm

PVC LAJSNA

DOUBLE GLAZING BEAD



BF 8510 44mm

PVC LAJSNA

TRIPLE GLAZING BEAD



8500 SERIES

SILVER

7 CHAMBER SYSTEM

7 KOMORNI SISTEM

BOSANSKI

*Naša nova silver serija **BAUFENS 8500** ispunjava zahtjeve svih klijenata koji traže moderan i elegantan dizajn, praktičnost te funkcionalnost koja će im omogućiti najviši nivo udobnosti življenja.*

ENGLISH

*Our new silver series **BAUFENS 8500** system meets the requirements of all clients looking for a modern and elegant design, practicality and functionality that will enable them the highest level of comfort of life.*

7 Sedmocomorna tehnologija dizajnirana za optimalnu toplinsku i zvučnu izolaciju.

2 Dva nivoa dihtovanja, osiguravaju dobru nepropusnost kod pljuskova, optimalnu zaštitu na udar vjetra i superiornu zvučnu izolaciju.

/// Dostupno sa duplim staklom od 24mm, troslojnim staklom od 36mm i trostrukom 44mm PVC lajsnom.

7 Seven-chamber technology designed for optimum thermal and sound insulation.

2 Two levels of breathing, ensure good windproofness, optimal wind protection and superior sound insulation.

/// Available with double glass of 24mm, three-layer 36mm glass and triple 44mm glazing bead.

BOJE:
COLORS:

Mahagonij
Mahogany

Bijela
White

Zlatni hrast
Golden oak


Antracit
Anthracite

*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.

Baufens
Fenster & Türen




WWW.BAUFENS.BA



BF 8521

PVC PROFIL ŠTOKA


FRAME PROFILE



BF 8521-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8522


PVC PROFIL KRILO PROZORA


SASH PROFILE

BF 8522-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT






BF 8523

PVC PROFIL KRILO VRATA


IN TURN DOOR SASH PROFILE



BF 8523-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8504


PVC PROFIL KRILO VRATA


DOOR SASH PROFILE

BF 8524-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT






BF 8525

PVC PROFIL 'T' PREČKA


MULLION PROFILE



BF 8525-0

ŽELJEZNO OJAČANJE


STEEL REINFORCEMENT



BF 8526

PVC PROFIL ŠTULP


FALSE MULLION PROFILE



BF 8526-0

ŽELJEZNO OJAČANJE


STEEL REINFORCEMENT



BF 8507

PVC PROFIL PROŠIRENJE


PVC PROFILE EXTENSION



BF 8507-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BF 8509 24mm



PVC LAJSNA

DOUBLE GLAZING BEAD

BF 8520

PVC PROFIL PROŠIRENJE 85x100


PVC PROFILE EXTENSION 85x100



BF 8508 36mm

PVC LAJSNA

DOUBLE GLAZING BEAD



BF 8510 44mm

PVC LAJSNA


TRIPLE GLAZING BEAD



BF 8517

PRAG 85

TRESHOLD 85



BF 8530

STUB ZA SPAJANJE

CONNECTING PILLAR




COLORS
• GRAY
• BLACK

BF 8518

KAPA PRAGA 85

TRESHOLD CAP 85



BF 8531

CIJEV ZA SPAJANJE POD UGLOM


ANGLE CONNECTION PIPE



BF 8519

KAPA ŠTULPA 85

FALSE MULLION CAP 85



BF 8542

ADAPTER CIJEVI


PIPE ADAPTER



OB 0121

SPOJNICA ZA T PREČKU 85


T-BAR COUPLING 85



BF 7202

SPOJNA LAJSNA


PVC CONNECTION MOLDING



BF 8535

OKAPNICA ZA PROZOR I VRATA

WINDOW DRAINBOARD




BF 7208


PODŠTOK

BLIND BOX EXTENSION PROFILE


SISTEM PROZORA WINDOW SYSTEM




SISTEM VRATA DOOR SYSTEM



SISTEM VRATA VANJSKO OTVARANJE DOOR SYSTEM OUTWARD OPENING




SISTEM PROZORA ŠTULP WINDOW SYSTEM MULLION




KRILO VRATA PRIMJENA PRAGA

DOOR SASH TRESHOLD APPLICATION




KRILO VRATA PRIMJENA PRAGA I 25mm PROŠIRENJA ŠTOKA

DOOR SASH TRESHOLD AND 25mm FRAME EXTENSION APPLICATION




KRILO VRATA S PRAGOM

DOOR SASH WITH TRESHOLD



KRILO VRATA PRIMJENA PRAGA I 25mm PROŠIRENJA ŠTOKA

DOOR SASH TRESHOLD AND 25mm FRAME EXTENSION APPLICATION





7000 SERIES

5 CHAMBER SYSTEM

5 KOMORNI SISTEM

BOSANSKI

Naša 7000 Serija vam nudi sve prednosti koje tražite od modernog prozora. Ovaj petokomorni sistem je savršena kombinacija modernog dizajna i profila perfektnih proporcija.

ENGLISH

Our 7000 Series offers you all the benefits you are looking for from a modern window. This five-chamber system is perfect a combination of modern design and profile perfect proportions.

5 Petokomorna tehnologija dizajnirana za optimalnu toplinsku i zvučnu izolaciju.

2 Dva nivoa dihtovanja, osiguravaju dobru nepropusnost kod pljuskova, optimalnu zaštitu na udar vjetra i superiornu zvučnu izolaciju.

/// Dostupno sa duplim staklom od 4, 20, 24 i 30mm PVC lajsnom.

5 Five-chamber technology designed for optimum thermal and sound insulation.

2 Two levels of breathing, ensure good windproofness, optimal wind protection and superior sound insulation.

/// Available with double glass of 4, 20, 24 and 30mm glazing bead.



**BOJE:
COLORS:**

**Mahagonij
Mahogany**

**Bijela
White**

**Zlatni hrast
Golden oak**

**Antracit
Anthracite**

*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.


Baufens
Fenster & Türen

WWW.BAUFENS.BA

BW 7001

PVC PROFIL ŠTOKA


FRAME PROFILE



BW 7011

PVC PROFIL KRILO PROZORA


SASH PROFILE



BW 7021

PVC PROFIL 'T' PREČKA


MULLION PROFILE



BW 6031

PVC PROFIL ŠTULP



FALSE MULLION



BW 6041

PVC PROFIL KRILO VRATA

IN TURN DOOR SASH PROFILE



BW 6041-0



ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT

BW 6051

PVC PROFIL KRILO VRATA VANJSKO OTVARANJE

IN TURN DOOR SASH PROFILE



BW 6051-0



ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT

BF 7033

PVC PROFIL KRILO VRATA VANJSKO OTVARANJE

IN TURN DOOR SASH PROFILE



BF 7033-0



ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT

BW 5035

PVC PROFIL PROŠIRENJE


FRAME EXTENSION



BF 7053 4mm

PVC LAJSNA


SINGLE GLAZING BEAD



BF 7052 20mm

PVC LAJSNA


DOUBLE GLAZING BEAD



BF 7051 24mm

PVC LAJSNA

DOUBLE GLAZING BEAD



BF 7054 30mm



PVC LAJSNA

DOUBLE GLAZING BEAD

BW 5031

PVC PROFIL PROŠIRENJE

FRAME EXTENSION




BW 8535


OKAPNICA ZA PROZOR I VRATA

DOOR AND WINDOW DRAINBOARD

SISTEM PROZORA WINDOW SYSTEM




SISTEM VRATA DOOR SYSTEM




SISTEM VRATA VANJSKO OTVARANJE

DOOR SYSTEM OUTWARD OPENING




SISTEM PROZORA ŠTULP

WINDOW SYSTEM MULLION




ŠTOK PRIMJENA ŠIROKOG KRILA VRATA

FRAME WIDE DOOR SASH APPLICATION




KRILO VRATA PRIMJENA PRAGA

DOOR SASH SINGLE TRESHOLD APPLICATION




KRILO VRATA PRIMJENA PRAGA I 25mm PROŠIRENJA ŠTOKA


DOOR SASH SINGLE TRESHOLD AND 25mm FRAME EXTENSION APPLICATION



VANJSKO OTVARANJE KRILA VRATA PRIMJENA PRAGA I 25mm PROŠIRENJA ŠTOKA


OUTWARD OPENING DOOR SASH SINGLE TRESHOLD 25mm FRAME EXTENSION APPLICATION





BF 7707

PRAG 70
TRESHOLD 70



BF 7709


CIJEV ZA SPAJANJE POD UGLOM
ANGLE CONNECTION PIPE



COLORS
• GRAY
• BLACK

BF 7708

KAPA PRAGA 70
TRESHOLD CAP 70




BF 7710

ADAPTER CIJEVI
PIPE ADAPTER



BF 7713

KAPA ŠTULPA 7000
MOVING MULLION PROFILE COVER 7000




BF 7210

STUB ZA SPAJANJE
CONNECTING PILLAR



OB 0034

USKA SPOJNICA ZA T PREČKU 60
NARROW T-BAR COUPLING 60




BF 7208

PODŠTOK
BLIND BOX EXTENSION PROFILE



OB 0097

ŠIROKA SPOJNICA ZA T PREČKU 70
WIDE T-BAR COUPLING 70



BW 7202

PVC LAJSNA
PVC CONNECTING MOLDING



6000 SERIES

4 CHAMBER SYSTEM

4 KOMORNI SISTEM

BOSANSKI

Naša 6000 Serija nudi ekonomičnost, kvalitet i sigurnost. Sa ovom serijom dobijate sve ono što jedan moderan prozor treba da sadrži.

ENGLISH


The 6000 Series offers economy, quality and performance safety. With this series you get everything a moderate window should contain.

- 4** Četverokomorna tehnologija dizajnirana za optimalnu toplinsku i zvučnu izolaciju.
-  Odlična izolacija i dugotrajnost zahvaljujući dihtunzima visoke tehnologije.
-  Dugotrajnost prozora zahvaljujući korištenju kvalitetnih sirovina u proizvodnji.
-  Dostupno sa duplim staklom od 4, 20, 24 i 30mm PVC lajsnom.
- 4** Four-chamber technology designed for optimum thermal and sound insulation.
-  Excellent insulation and durability thanks to high-tech dichotomies.
-  Longevity of windows thanks to the use of high-quality raw materials in production.
-  Available with double glass of 4, 20, 24 and 30mm glazing bead.

BOJE:
COLORS:

	Mahagonij Mahogany		Bijela White
	Zlatni hrast Golden oak		Antracit Anthracite


*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.



BW 6001

PVC PROFIL ŠTOKA


FRAME PROFILE



BW 6011

PVC PROFIL KRILO PROZORA


Z SASH PROFILE



BW 6021

PVC PROFIL 'T' PREČKA


MULLION PROFILE



BW 6031

PVC PROFIL ŠTULPA


MOVING MULLION PROFILE



BW 6071

PVC LAJSNA SA ŠTOKOM


L FRAME PROFILE WITH CORNICE



BW 6061

PVC PROFIL ŠTOKA SA PEROM


L FRAME PROFILE WITH CORNICE



BW 6041

PVC PROFIL KRILO VRATA


IN TURN DOOR SASH PROFILE




BW 6051

PVC PROFIL KRILO VRATA VANJSKO OTVARANJE


T DOOR SASH PROFILE






BW 7053 4mm

PVC LAJSNA
SINGLE GLAZING BEAD




BW 7202

SPOJNA LAJSNA
PVC CONNECTING MOLDING




BW 7052 20mm

PVC LAJSNA
DOUBLE GLAZING BEAD




BW 7210

STUB ZA SPAJANJE
CONNECTING PILLAR



BW 7051 24mm


PVC LAJSNA
DOUBLE GLAZING BEAD




BW 7054 30mm

PVC LAJSNA
TRIPLE GLAZING BEAD

SISTEM PROZORA WINDOW SYSTEM




SISTEM VRATA DOOR SYSTEM




SISTEM VRATA VANJSKO OTVARANJE

DOOR SYSTEM OUTWARD OPENING



SISTEM PROZORA ŠTULP

WINDOW SYSTEM MULLION






6000 SERIES

VANJSKO OTVARANJE OUTWARD OPENING


BW 6001

PVC PROFIL ŠTOKA
FRAME PROFILE




BW 6081

PVC PROFIL KRILO PROZORA
OUTWARD OPENING WINDOW SASH




BW 6051

PVC PROFIL KRILO VRATA VANJSKO OTVARANJE
T DOOR SASH PROFILE



BW 6021

PVC PROFIL T PREČKA
MULLION PROFILE



BOJE:
COLORS:

*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.





7000 KLIZNI SISTEM

7000 SLIDE SYSTEM

BOSANSKI

Klizni sistem je praktičan, štedi prostor i savršen je za balkone i terase. Ovaj sistem vam nudi maksimalno iskorištavanje prostora bilo da se radi o vašem domu ili radnom mjestu. Komarnici su jednostavno rješenje za učinkovito sprječavanje ulaska komaraca i ostalih insekata u prostorije.

ENGLISH

The sliding system is practical, saves space and is perfect for balconies and terraces. This system offers you maximum use of space whether it's about your home or workplace. Mosquitoes are a simple solution for effectively preventing the entry of mosquitoes and other insects into the premises.

- 4** Četverokomorni sistem dizajniran za optimalnu toplinsku i zvučnu izolaciju.
-  Debljina profila 60 mm
-  Odlična izolacija i dugotrajnost zahvaljujući dihtunzima visoke tehnologije.
-  Dugotrajnost prozora zahvaljujući korištenju kvalitetnih sirovina u proizvodnji.
-  Dostupno sa duplim staklom od 4 i 20mm PVC lajsnom.

- 4** Four-chamber system designed for optimal thermal and sound insulation.
-  Profile thickness: 60 mm.
-  Excellent insulation and durability thanks high-tech seals.
-  Window durability thanks to the use of quality raw materials in production.
-  Available with double glass of 4 and 20mm glazing bead.

BOJE: COLORS:



Mahagonij
Mahogany



Bijela
White




Zlatni hrast
Golden oak



Antracit
Anthracite


*Sve ostale boje moguće je izraditi po narudžbi.
*All other colors can be made to order.



BF 3005

PVC PROFIL ŠTOKA SA KOMARNIKOM



PVC FRAME PROFILE WITH MOSQUITO NET



BF 3061

PROFIL PREČKE KLIZA


MULLION PROFILE



BF 3006

PVC PROFIL KRILA SA KOMARNIKOM


PVC SASH PROFILE WITH MOSQUITO NET



BF 3007


PVC PROFIL PREČKE SA KOMARNIKOM

PVC MULLION PROFILE WITH MOSQUITO NET



KLIZNI SISTEM SA
KOMARNIKOM


SLIDE SYSTEM WITH
MOSQUITO NET



BW 3001

PVC PROFIL ŠTOKA KLIZA


PVC DOOR FRAME PROFILE



BW 3001-0

ŽELJEZNO OJAČANJE

STEEL REINFORCEMENT



BW 3031


ŠTOK KLIZA SA PEROM


CORNICES SLIDING FRAME PROFILE

BW 3031-0

PVC PROFIL ŠTULP

PVC PROFILE MULLION






BW 3011

PVC PROFIL KRILA KLIZA


PVC SLIDING SASH PROFILE




BW 3011-0

ŽELJEZNO OJAČANJE


STEEL REINFORCEMENT




BW 7054 20mm
PVC LAJSNA
SLIDING GLAZING BEAD




BW 3041 4mm
PVC LAJSNA
SLIDING GLAZING BEAD




BW 3051
ŠINA KLIZA
ALUMINIUM SLIDING RAIL




BF 3021
INTERLOCK
INTERLOCK



BF 3052
ALUMINIJSKA ŠINA KLIZA
ALUMINIUM SLIDING RAIL



SISTEM KLIZA SLIDE SYSTEM



SISTEM KLIZA ŠTOK SA PEROM SLIDE SYSTEM ARCHITRAVE FRAME

BAU 46



BAU 47



BAU 10



BAU 10-1



BAU 11



BAU 11-1



BAU 11-2



BAU 17



BAU 17-1



BAU 17-2



BAU 5



BAU 5-2



BAU 27



BAU 13-2



BAU 13-3



BAU 13-1



BAU 28



BAU 25



BAU 26



BAU 50



BAU 17-3



BAU 31



BAU 51-4




BAU 30







BAU 6-A



BAU 127-A MA




BAU 8-2 MA



BAU 27 ME



BAU 5-2 ME



BAU 51-4 ME



BAU 27-Y



BAU 27-Y ME




KLUPICE | WINDOW SILL

ALUMINIUM WINDOW SILL

ALUMINIJSKA KLUPICA PROZORA

COLORS / BOJE

- WHITE
- ANTHRACHITE




PVC WINDOW SILL

PVC KLUPICA PROZORA

COLORS / BOJE

- WHITE
- MARBLE
- OAK
- ANTHRACHITE




PVC KORE

PVC SHEETS

SPECIFICATIONS - SPECIFIKACIJE

THICKNESS / DEBLJINA	0.60 mm - 3.00 m
WIDTH / ŠIRINA	0.50 m - 2.00 m
LENGTH / DUŽINA	Length at the request of the customer! Dužina po želji kupca!



COLORS / BOJE:

 <i>Bijela</i> White	 <i>Mahagonij</i> Mahogany	 <i>Zlatni hrast</i> Golden oak	 <i>Antracit</i> Anthracite
--	--	---	--

PVC ROLETNE

Roletne se nalaze vani, ispred prozora, sigurno sprečavaju prodor i najjačih sunčevih zraka. Na taj način temperatura u dnevnoj i radnoj prostoriji ostaje stabilna. Rolete nas štite od neželjenih pogleda i neugodne buke kao i od neželjenih gostiju.



Roletne od PVC-a ili aluminijuma imaju lamele od 37-52 mm, te su punjene poliuretanom za bolju izolaciju.

Kako bi se bolje zaštitili od provala, sistemi roletni mogu biti blokirani, što ih onemogućava da se podignu.


PVC BLINDS

The blinds are located outside, in front of the window, they certainly prevent the penetration of even the strongest rays of the sun. In this way, the temperature in the living and working rooms remains stable. Blinds protect us from unwanted views and unpleasant noise as well as from uninvited guests.


PVC or aluminum lamella shutters of 37-52 mm, filling with polyurethane for better insulation. In order to better protect against burglary, the shutter systems can be blocked, which makes it impossible to lift them up.



BAU-P-001




BAU-P-002




BAU-P-005




BAU-P-009




BAU-P-007



BAU-P-006





BAU-P-004



BAU-P-008

PROIZVODNI POGON



PRODUCTION AREA



SKLADIŠTE WAREHOUSE





Baufens
Fenster & Türen



Our **vision** is your **happiness**.

Naša **vizija** je Vaša **sreća**.

E-mail:

sales@yavuz.ba

Web:

www.baufens.ba